

Patent 6,996,429

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,996,429

Docket No: 1133.029US1

Issue Date: February 7, 2006


Patentee: Tony Yaksh et al.

Customer No.: 21186

Confirmation No.: 7717

Title

APPARATUS AND METHOD FOR DETECTING FLINCH RESPONSE TO
NOCICEPTIVE AGENTS



REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

Certificate

MAR 06 2006

of Correction

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Pursuant to 1.20(a), enclosed please find a check in the amount of \$100.00.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted
TONY YAKSH ET AL.
By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6900

Date:

February 23, 2006

By:

David W. Black

Reg. No: 42,331

DWB:mrl

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 24th day of February 2006

Michaela R. Lewellyn
Name

Michaela Lewellyn
Signature

03/02/2006 MAHMED1 00000004 6996429

01 FC:1811

100.00 OP

MAR 8 2006



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Tony Yaksh et al.

Examiner: Roy, Baisakhi

Patent No.: 6,996,429

Group Art Unit: 3737

Issue Date: February 7, 2006

Docket No: 1133.029US1

Title: APPARATUS AND METHOD FOR DETECTING FLINCH RESPONSE TO NOCICEPTIVE AGENTS


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

We are transmitting herewith the attached:

- ☒ A check in the amount of \$100.00 to cover the Certificate of Correction fee.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
Customer No: 21186

By: 
Name: David W. Black
Reg. No. 42,331
DWB:CMG:mrl

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 24th day of February 2006.

Michaela R. Lewellyn
Name

Michaela R. Lewellyn
Signature

FEB 28 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,996,429

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Yaksh et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 22, line 37, in Claim 11, insert - - an - - before "electromagnetic".

In column 22, line 53, in Claim 11, delete "pertubations" and insert - - perturbations - -, therefor.

In column 22, lines 55-56, in Claim 11, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

In column 24, lines 6-7, in Claim 12, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 1133.029US1

PATENT NO. _____ 6,996,429 _____

No. of additional copies



2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,996,429

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Yaksh et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 22, line 37, in Claim 11, insert - - an - - before "electromagnetic".

In column 22, line 53, in Claim 11, delete "pertubations" and insert - - perturbations - -, therefor.

In column 22, lines 55-56, in Claim 11, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

In column 24, lines 6-7, in Claim 12, after "irritant" delete ", measured response to the irritant." and insert - - . - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 1133.029US1

PATENT NO. _____ 6,996,429 _____

No. of additional copies



100 - 100
100 - 100